EQUIPMENT & MATERIALS

YSF-LA TP5 Non-film Tipping Machine

Product configuration and technical specifications.



TECHNICAL SPECIFICATIONS

Reference output	5 pieces/cycle; 8,000 pieces/8 h
Tip shapes	Square, round, triangular, oval
Materials	SP, nylon, PP and polyester; confirm yarn grade
Temperature	180-250 C
Power consumption	2 kWh/h
Tooling	Matched to shoelace thickness
Net weight	200 kg
Machine dimensions	700 x 900 x 1,550 mm
Compressor power	3.5 kW

CONFIGURATION

PLC control / Automatic temperature control

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

Automatic Lace Tipping Machine - 150 cm

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Cutting length	0.4-1.5 m
Reference output	40 pieces/min
Temperature	50-60 C
Machine dimensions	2,500 x 1,150 x 1,700 mm
Net weight	550 kg

CONFIGURATION

Automatic stop / Electronic length counter

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

Automatic Lace Tipping Machine - 250 cm

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Cutting length	0.4-2.5 m
Reference output	25 pieces/min
Temperature	50-60 C
Machine dimensions	3,500 x 1,150 x 1,700 mm
Net weight	700 kg

CONFIGURATION

Automatic stop / Electronic length counter

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSS-C85 Plastic-film tipping

Product configuration and technical specifications.



TECHNICAL SPECIFICATIONS

Motor	3 HP / 380 V
Machine dimensions	2,300 x 1,150 x 1,700 mm
Net weight	450 kg
Film widths	25 / 30 / 32 / 40 / 50 mm
Tooling diameters	1.9 / 2.1 / 2.3 / 2.5 / 2.8 / 3.0 / 3.5 / 3.7 / 4.0 / 4.2 / 4.5 / 4.7 / 5.0 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSK-LS Semi-automatic Lace Tipping Machine

Product configuration and technical specifications.



TECHNICAL SPECIFICATIONS

Motor	1 HP
Power supply	440 V
Machine dimensions	800 x 650 x 900 mm
Net weight	160 kg

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-H Semi-automatic Metal Tipping Machine

Product configuration and technical specifications.



TECHNICAL SPECIFICATIONS

Operation	Electric
Power supply	220 V
Machine dimensions	600 x 350 x 900 mm
Net weight	35 kg

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-HC Semi-automatic Metal Tipping Machine

Product configuration and technical specifications.



TECHNICAL SPECIFICATIONS

Operation	Hydraulic
Power supply	220 V
Machine dimensions	600 x 350 x 900 mm
Net weight	40 kg

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

Semi-automatic Metal Tipping Machine - 60 kg

Product configuration and technical specifications.



TECHNICAL SPECIFICATIONS

Power supply	220 V
Machine dimensions	600 x 350 x 900 mm
Net weight	60 kg

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com