EQUIPMENT & MATERIALS

YSY-J-2/165 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	2
Reed width	165 mm
Heald frames	6
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	600-800 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSY-J-2/110 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	2
Reed width	110 mm
Heald frames	6
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	700-900 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSY-J-4/80 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	4
Reed width	80 mm
Heald frames	8
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	700-900 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSY-J-6/55 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	6
Reed width	55 mm
Heald frames	8
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSY-J-8/45 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	8
Reed width	45 mm
Heald frames	8
Jacquard hooks	128, 192, 240, 320, 384
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSY-J-8/35 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	8
Reed width	35 mm
Heald frames	8
Jacquard hooks	128, 192, 240
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSY-J-10/25 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	10
Reed width	25 mm
Heald frames	8
Jacquard hooks	128, 192, 240
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-C-2/165 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	2
Reed width	165 mm
Heald frames	6
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	600-800 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-C-2/110 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	2
Reed width	110 mm
Heald frames	6
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	700-900 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-C-4/80 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	4
Reed width	80 mm
Heald frames	8
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	700-900 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-C-6/55 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	6
Reed width	55 mm
Heald frames	8
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-C-8/45 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	8
Reed width	45 mm
Heald frames	8
Jacquard hooks	128, 192, 240, 320, 384
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-C-8/35 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	8
Reed width	35 mm
Heald frames	8
Jacquard hooks	128, 192, 240
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-C-10/25 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	10
Reed width	25 mm
Heald frames	8
Jacquard hooks	128, 192, 240
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-H-2/165 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	2
Reed width	165 mm
Heald frames	6
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	600-800 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-H-2/110 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	2
Reed width	110 mm
Heald frames	6
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	700-900 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-H-4/80 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	4
Reed width	80 mm
Heald frames	8
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	700-900 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-H-6/55 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	6
Reed width	55 mm
Heald frames	8
Jacquard hooks	128, 192, 240, 320, 384, 480, 640
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-H-8/45 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	8
Reed width	45 mm
Heald frames	8
Jacquard hooks	128, 192, 240, 320, 384
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-H-8/35 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	8
Reed width	35 mm
Heald frames	8
Jacquard hooks	128, 192, 240
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSJ-H-10/25 Jacquard Needle Loom

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Heads	10
Reed width	25 mm
Heald frames	8
Jacquard hooks	128, 192, 240
Speed	800-1000 rpm
Pattern cycle	8-48

CONFIGURATION

Yarn-break stop / Automatic circulating lubrication / Rubber yarn feeder

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com