EQUIPMENT & MATERIALS

YSX-4/8 Braiding Machine

Product configuration and technical specifications.

YSX-4/8

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	4
Carriers per head	8
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-6/8 Braiding Machine

Product configuration and technical specifications.

YSX-6/8

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	6
Carriers per head	8
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-8/8 Braiding Machine

Product configuration and technical specifications.

YSX-8/8

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	8
Carriers per head	8
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-4/12 Braiding Machine

Product configuration and technical specifications.

YSX-4/12

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	4
Carriers per head	12
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-4/16 Braiding Machine

Product configuration and technical specifications.

YSX-4/16

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	4
Carriers per head	16
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-6/16 Braiding Machine

Product configuration and technical specifications.

YSX-6/16

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	6
Carriers per head	16
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/24 Braiding Machine

Product configuration and technical specifications.

YSX-2/24

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	24
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/26 Braiding Machine

Product configuration and technical specifications.

YSX-2/26

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	26
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/32 Braiding Machine

Product configuration and technical specifications.

YSX-2/32

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	32
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/36 Braiding Machine

Product configuration and technical specifications.

YSX-2/36

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	36
Motor	1.1 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/40 Braiding Machine

Product configuration and technical specifications.

YSX-2/40

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	40
Motor	1.1 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-1/44 Braiding Machine

Product configuration and technical specifications.

YSX-1/44

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	1
Carriers per head	44
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-1/48 Braiding Machine

Product configuration and technical specifications.

YSX-1/48

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	1
Carriers per head	48
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/48 Braiding Machine

Product configuration and technical specifications.

YSX-2/48

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	48
Motor	0.55x2 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-1/56 Braiding Machine

Product configuration and technical specifications.

YSX-1/56

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	1
Carriers per head	56
Motor	0.55x2 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-1/64 Braiding Machine

Product configuration and technical specifications.

YSX-1/64

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	1
Carriers per head	64
Motor	0.55x2 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-1/72 Braiding Machine

Product configuration and technical specifications.

YSX-1/72

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	1
Carriers per head	72
Motor	0.55x2 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-1/96 Braiding Machine

Product configuration and technical specifications.

YSX-1/96

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	1
Carriers per head	96
Motor	1.1 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-1/120 Braiding Machine

Product configuration and technical specifications.

YSX-1/120

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	1
Carriers per head	120
Motor	0.75x2 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-8/3 Braiding Machine

Product configuration and technical specifications.

YSX-8/3

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	8
Carriers per head	3
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-4/9 Braiding Machine

Product configuration and technical specifications.

YSX-4/9

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	4
Carriers per head	9
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-8/9 Braiding Machine

Product configuration and technical specifications.

YSX-8/9

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	8
Carriers per head	9
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-6/9 Braiding Machine

Product configuration and technical specifications.

YSX-6/9

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	6
Carriers per head	9
Motor	1.1 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-4/13 Braiding Machine

Product configuration and technical specifications.

YSX-4/13

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	4
Carriers per head	13
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-4/17 Braiding Machine

Product configuration and technical specifications.

YSX-4/17

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	4
Carriers per head	17
Motor	1.1 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-4/21 Braiding Machine

Product configuration and technical specifications.

YSX-4/21

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	4
Carriers per head	21
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/25 Braiding Machine

Product configuration and technical specifications.

YSX-2/25

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	25
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-4/25 Braiding Machine

Product configuration and technical specifications.

YSX-4/25

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	4
Carriers per head	25
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/29 Braiding Machine

Product configuration and technical specifications.

YSX-2/29

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	29
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/33 Braiding Machine

Product configuration and technical specifications.

YSX-2/33

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	33
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/39 Braiding Machine

Product configuration and technical specifications.

YSX-2/39

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	39
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/41 Braiding Machine

Product configuration and technical specifications.

YSX-2/41

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	41
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-2/43 Braiding Machine

Product configuration and technical specifications.

YSX-2/43

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	2
Carriers per head	43
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-1/45 Braiding Machine

Product configuration and technical specifications.

YSX-1/45

Technical configuration

TECHNICAL SPECIFICATIONS

Heads	1
Carriers per head	45
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSX-1/49 Braiding Machine

Product configuration and technical specifications.

YSX-1/49

Technical configuration

TECHNICAL SPECIFICATIONS

Carriers per head	49
Motor	0.75 kW
Horn-gear speed	360 rpm
Bobbin size	48x140 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.


NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSC-2/18 Braiding Machine

Product configuration and technical specifications.



TECHNICAL SPECIFICATIONS

Heads	2
Horn-gear size	90
Motor	1 HP (0.75 kW)
Bobbin size	47 x 142 mm
Cord diameter	0.1-8 mm

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com