EQUIPMENT & MATERIALS

YSK-FD Tape Festooning Machine

Product configuration and technical specifications.



TECHNICAL SPECIFICATIONS

Tape width	8-50 mm
Speed	100 m/min
Box size	330 x 330 x 250 mm
Motor	1 HP

CONFIGURATION

Electronic length counter

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSL-FD2 Oscillating Tape Packing Machine

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Tape width	4-50 mm
Packing footprint	330 x 330 mm
Speed	110 m/min
Motor	2 HP

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

YSL-FD4 Oscillating Tape Packing Machine

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Tape width	4-50 mm
Packing footprint	330 x 330 mm
Speed	110 m/min
Motor	2.5 HP

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com