EQUIPMENT & MATERIALS

SPF-1/6 Automatic Screen Printing Machine

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Printing colours	1
Stations	6
Dryers	1
Printing area	200 x 200 mm
Pallet size	250 x 370 mm
Maximum printing speed	1,200 pieces/h (product-dependent)
Power	3.0 kW
Air consumption	10 L/min at 0.6 MPa
Net weight	120 kg
Machine dimensions	Diameter 1,200 x height 1,450 mm
Power supply	AC 220 V, 50/60 Hz

CONFIGURATION

PLC control / Infrared drying / Servo positioning

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

SPF-2/6 Automatic Screen Printing Machine

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Printing colours	2
Stations	6
Dryers	2
Printing area	200 x 200 mm
Pallet size	250 x 370 mm
Maximum printing speed	1,200 pieces/h (product-dependent)
Power	3.8 kW
Air consumption	20 L/min at 0.6 MPa
Net weight	230 kg
Machine dimensions	Diameter 1,500 x height 1,500 mm
Power supply	AC 220 V, 50/60 Hz

CONFIGURATION

PLC control / Infrared drying / Servo positioning

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

SPF-3/8 Automatic Screen Printing Machine

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Printing colours	3
Stations	8
Dryers	3
Printing area	200 x 200 mm
Pallet size	250 x 370 mm
Maximum printing speed	1,200 pieces/h (product-dependent)
Power	5.25 kW
Air consumption	25 L/min at 0.6 MPa
Net weight	260 kg
Machine dimensions	Diameter 1,500 x height 1,550 mm
Power supply	AC 220 V, 50/60 Hz

CONFIGURATION

PLC control / Infrared drying / Servo positioning

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com

EQUIPMENT & MATERIALS

SPF-4/10 Automatic Screen Printing Machine

Series reference image. Refer to the selected configuration below.



TECHNICAL SPECIFICATIONS

Printing colours	4
Stations	10
Dryers	4
Printing area	200 x 200 mm
Pallet size	250 x 370 mm
Maximum printing speed	1,200 pieces/h (product-dependent)
Power	6.75 kW
Air consumption	42 L/min at 0.6 MPa
Net weight	300 kg
Machine dimensions	Diameter 1,700 x height 1,500 mm
Power supply	AC 220 V, 50/60 Hz

CONFIGURATION

PLC control / Infrared drying / Servo positioning

Working output depends on material and configuration. Confirm the final specification with Yishuo.

NINGBO YISHUO MACHINERY AND ELECTRON CO., LTD.

Lloyd Jiang | WhatsApp: +86 130 4549 3235 | lloyd.jiang@nbyishuo.com